

CENTURY LED LTD.

HEAD OFFICE ADDRESS

Century LED Ltd.
Century House, 3rd Floor, Plot P15/1,
Taratala Road, Kolkata - 700 088

REGISTERED OFFICE & FACTORY ADDRESS

Century LED Limited
Srijan Industrial Logistic Park, Part-B, Block-A,
1st Floor, N.H. - 06, Bombay Highway,
Howrah - 711302, W.B.

Contact us 9051109057 I helpdesk@magiklights.com www.magiklights.com







MADE IN INDIA


In just a few years, MAGIK has established itself as a reputed and trusted brand with a pan-India footprint. Its product range encompasses solutions for Home, Office, Industry, Infrastructure, Retail and Hospitality. With a network of 300+ distributors and 15,000+ retailers, MAGIK is there to serve you anywhere.

MADE WITH CARE

MAGIK products are manufactured in its own state-of-the-art plant in West Bengal. The facility has its own NABL-accredited Lab and a Design Centre that ensures every MAGIK product surpassed customer expectations time and again.











C'NNECTED WITH LIVES

MAGIK C'NNECT Smart Lighting Systems - the brand new range from MAGIK - is about forging connections with family and friends using the power of lighting. It can completely transform a space and your mood along with it. With this new range the possibilities are infinite. Get set to C'NNECT.

C'NNECT TO AUTOMATE YOUR HOME

- Compatible with Alexa & Google Home
- Smart Controller NO HUB REQUIRED
- ® Control life away from home
- Many lights. One controller.
- Smart app
- Smart remote
- * Control colour & brightness





Compatible with Alexa and Google Home

Equipped with 'Intelligent Voice Control System', MAGIK C'NNECT lets you control the lights with just your voice - "Alexa, turn on living room lights" or "OK Google, turn on mood lighting". No need to open the app or use the remote.



Smart Controller - NO HUB REQUIRED

Compared to other home automation systems, setting up the MAGIK C'NNECT Smart Lighting System is really easy. Simply connect the Smart Controller to the AC mains and you are ready to go - no need for large hubs or complex wiring.



Control life away from home

You can control lights from anywhere in the world with the new generation MAGIK C'NNECT that uses WiFi protocol. Which is especially handy if you've just remembered you left the lights on and are nowhere close to home.









Many lights. One controller.

MAGIK C'NNECT uses an innovative connection method - cascading - by which a common power supply & Department of the controller operate multiple lights in series. Which means that it frees up your WiFi router and makes adding lights easy.



Smart app

The MAGIK C'NNECT app helps you set different kinds of lighting scenes. Using the app, you can control as many groups of lights as you want as also set the colour temperature, brightness and the time for them to switch on or off.






Smart remote

The MAGIK C'NNECT remote gives you an additional way of operating your lights in addition to your phone and voice commands. You can control different groups of lights and even change their brightness and colour. Very handy when guests or house help want to operate the lighting!



Control colour and brightness

You can adjust the colour as well as intensity of your lights with the MAGIK C'NNECT lighting system. Change the temperature from warm yellow (2500K) to cool white (5700K) and look at your room in a whole new way.







THE MAGIK C'NNECT DIFFERENCE


FEATURES	MAGIK C'NNECT	HOME AUTOMATION	SMART LIGHTS	REGULAR LIGHTS
C Lighting system with a wide range	✓	22	×	✓
Operated by app	1	√/x	✓	×
Remote control	✓	✓	×	×
3→C No hub required	✓	×	~	1
Single wiring, easy maintenance	✓	×	✓	~
Low load on network	✓	V	×	~
Colour changing capability	✓	×	✓	x
■ Dimming	✓	~	✓	×
Scene selection	✓	~	✓	×
Timer	1	√/x	✓	х
S WiFi technology	✓	×	√/x	×
(((造))) Away from home control	✓	×	√/x	х
(((Alexa + google Home voice control	✓	×	√/×	×
Multiple lights per driver	✓	×	×	×
Designer light fittings	✓	-	×	√ /x
Retrofit friendly	1	×	1	✓
₹ Cost of system	100		11 576	



THE MAGIKAL RANGE OF C'NNECT







Features of MAGIK C'NNECT Spotlights




Objects visible in truest colour -

CRI > 90 - an object will be seen in its truest colours unlike under ordinary lighting



Anti-glare -

Anti-glare lights do not hurt your eyes, seem invisible but provide bright light



Adjustable light angles -

Adjustable light angle, up to 30 degrees for asymmetric light. Premium-finish powder-coated aluminium die-cast body - sturdy and long lasting



Modular designer fittings -

Comes in 4 different colours black, white, silver and matte gold.

Modular designer fitting combos of different fits, easy replacement, no damage to ceiling.



Elegant Look -

The Sleek and Premium design of the fitting, gives an overall aesthetic premium look. The sleek fittings are available in matte white trim that looks elegant, along with an option of Trimless fitting wherein, the fixture is invisible but the light output remains intact.



Stunning visual effects -

Stunning visual effects using reflector options precise control of beam angle. Comes in different designs and beam types







C'NNECT Evoke Spotlight - with Trim

Wattage	Product Code
9W	CTEV009TXXXX-TM
15W	CTEV015TXXXX-TM



Dimensions 105*77*73









76 mm Cut out size























Wattage	Product Code
9W	CTEV009TXXXX-TL
15W	CTEV015TXXXX-TL



--- Dimensions 105*134*73



74 mm Cut out size

















34€ 70Lm/W







C'NNECT Swivel Spotlight - Trim

Wattage	Product Code
9W	CTSW009TXXXX-TM
15W	CTSW015TXXXX-TM







CRI > 90









76 mm Cut out size





C'NNECT Swivel Spotlight-Trimless

Wattage	Product Code
9W	CTSW009TXXXX-TL
15W	CTSW015TXXXX-TL















Ø 9₩ & 15W

CRI > 90



≥4€ 60Lm/W





C'NNECT Follow Spotlight- with trim

Wattage	Product Code
9W	CTFO009TXXXX-TM
15W	CTFO015TXXXX-TM





























C'NNECT Follow Spotlight- trimless

Wattage	Product Code
9W	CTFO009TXXXX-TL
15W	CTFO015TXXXX-TL





74 mm Cut out size



















C'NNECT Focus Spotlight- with trim

Wattage	Product Code
9W	CTFC009TXXXX-TM
15W	CTFC015TXXXX-TM



Dimensions 105*77*73

76 mm Cut out size

25 Degree beam angle















C'NNECT Focus Spotlight-trimless

Wattage	Product Code
9W	CTFC009TXXXX-TM
15W	CTFC015TXXXX-TM



Dimensions 105*134*73







CCT tunable from 3000K to 6000K



74 mm Cut out size

25 Degree beam angle



Available in









C'NNECT Aspire Spotlight- with trim

Wattage	Product Code
9W	CTAS009TXXXX-TM
15W	CTAS015TXXXX-TM



Dimensions 105*77*73







80 mm Cut out size



















C'NNECT Adore Spotlight - Trim

Wattage	Product Code
9W	CTAD009TXXXX-TM
15W	CTAD015TXXXX-TM



152 mm Cut out size





CRI > 90















35 Degree beam angle Available in







C'NNECT Novus Spotlight-

Wattage	Product Code
9W	SCNV009C1216



82 mm Cut out size









₹ 85Lm/W



75 Degree beam angle



Wi-Fi compatible



Compatible with Alexa and Google









C'NNECT Novus Spotlight-















100 mm Cut out size













75 Degree beam angle






















Features of MAGIK C'NNECT Downlights



Sturdy and long lasting -

Premium-finish powdercoated aluminium die-cast body - sturdy and long lasting



Designer fittings -

Designer fittings with an elegant look to complement your beautiful interiors.



Wider light distribution -

Wider light distribution angle helps in wider spread of light, enabling tasks like reading & tooking



Object visible in truest colour -

CRI > 80 - an object will be seen in its truest colours unlike under ordinary lighting



Anti-glare lights -

Anti-glare lights - do not hurt your eyes, seem invisible but provide bright light



Uniform lighting -

The milk polycarbonate diffuser spreads the light evenly - uniform lighting with no dark patches





Dazzle Deep Downlight 10W

Wattage	Product Code	
10W	CTDZ010TXXXX	



93mm Cut out size

95 Degree beam angle



















Compatible with Alexa and Google





Dazzle Deep Downlight 15W

Wattage	Product Code
15W	CTDZ015TXXXX



















Wi-Fi compatible



Compatible with Alexa and Google





Features of MAGIK C'NNECT Strip lights



Highly durable -

The Strip Lights are coated with a layer of Silicon that provides endurance and durability. It also reduces the chances of failure or the light losing its brightness over time.



Flexible and easy installation -

Very flexible in use - used in applications like cove lighting, mirror lighting & Deck lighting.




16 million colour options -

More than 16 million colour options available



Brighter than ordinary LED -

Large chip size LEDs and thicker flexible circuits make them brighter vs ordinary strips.



CCT tunable -

Also available as CCT tunable - option of colour temperature control & comp; dimming



Customised size -

Can be cut into smaller segments, for smaller areas, without damaging the entire strip. Two or more strips rolls can be joined together for seamless performance.





Length	Product Code
5M	CTFXRGBXXXX



≯¥ 70 Lumens








⊘ 40W







Compatible with Alexa and Google







Wi-Fi compatible







Length	Product Code
5M	CTFXCCTXXXX








































Features of MAGIK C'NNECT Profile Lights



Highly durable and strong body -

Crafted from highest grade aluminium extrusion, these are anodized and powder coated with an in-built PC diffuser for optimum thermal management.



Flexible and easy to install -

Comes in a range of designs that make it flexible for use in different parts of your home and are extremely easy to fit.




100 lumens/watt -

C'nnect profile lights have high efficacy which gives them the best-in-class brightness.



Customisable size and stunning designs -

This range of lights come in multiple sizes of 1 and 2 feet, along with being visually aesthetic with T, X and L shaped designs to fit anywhere.



CCT tunable -

Our profile lights have color changing capability, with a range of 2700K - 6500K. Not only so, it also can be dimmed to your liking.



Anti-glare and uniform lighting -

With a CRI greater than 80, these lights make objects, that it falls on, appear in their truest colour. They also diffuse light uniformly.





Linear Alpha 15W

Housing - Aluminium , Diffuser - PC

Wat	ttage Produc		t Code		
1	5W	06	06S		
\bigotimes	Dimension 300*17*16	(mm) 📀	3.75W per Feet	345	100 Lumens / Watt
	CRI > 80	_	Tunable CCT		Housing - Aluminium , Diffuser - PC
	Surface mo	unt 🙈	Beam angle 12	:0°	

Linear Delta 30W

Wa	ttage	Product Code	
3	ow	1430S	
\odot	Dimension 300*37*79	(mm) 7.5W per Feet	t ୬℃ 100 Lumens / Watt
	CRI > 80	Tunable CCT	Housing - Aluminium

Suspended mount Ream angle 120°





Linear Beta 30W

Wattage	Product Code	
30W	1414S	
Dimension 300*35*3	(mm) 7.5W per Feet	와도 100 Lumens / Watt
CRI > 80	Tunable CCT	Housing - Aluminium , Diffuser - PC
Surface mo	ount 🛚 🙇 Beam angle 12	20°

Linear Gama 30W

Wattage		Product Code		
3	ow	1414R]	
\otimes	Dimension 300*48*35		t ¾E	100 Lumens / Watt
	CRI > 80	Tunable CCT		Housing - Aluminium , Diffuser - PC
	Reccessed	d mount 🛚 🙈 Beam ang	le 120º	



C'NNECT Smart Bridge Series for CCT Spotlights & Downlights

C'NNECT Smart Bridge Series 42.30 CCT/ 42.60 CCT

Particulars	30W driver	60W driver
Item Code	CTSB030TCCT	CTSB060TCCT
I/P Voltage Range	140-295V AC	140-295V AC
I/P Current @240V	135mA	280mA
O/P constant Voltage	41-42V DC	41-42V DC
Rated O/P Load Current	640mA Max	1.3A Max
Dimensions	116.3*36*23mm	143.3*43*30mm
Driver Box Material	Plastic ABS	Plastic ABS
Over Voltage Protection	440VAC/10min	440VAC/10min
Under Voltage Protection	140V	140V
Surge Protection	4KV	4KV



C'NNECT Smart Bridge Series for RGB Strip lights C'NNECT Smart Bridge Series 24.50 RGB/ 24.100 RGB

Particulars	50W driver	100W driver
Item Code	CTSB050TRGB	CTSB050TRGB
I/P Voltage Range	140-295V AC	140-295V AC
I/P Current @240V	232mA	232mA
O/P constant Voltage	23-24V DC	23-24V DC
Rated O/P Load Current	2A Max	2A Max
Dimensions	143.3*43*30mm	143.3*43*30mm
Driver Box Material	Plastic ABS	Plastic ABS
Over Voltage Protection	440VAC/10min	440VAC/10min
Under Voltage Protection	140V	140V
Surge Protection	4KV	4KV



C'NNECT Smart Bridge Series for CCT Strip lights

C'NNECT Smart Bridge Series 24.50 CCT/ 24.100 CCT

Particulars	50W driver	100W driver	
Item Code	CTSB050TCCT	CTSB050TCCT	
I/P Voltage Range	140-295V AC	140-295V AC	
I/P Current @240V	232mA	232mA	
Wattage	50	100	
O/P constant Voltage	23-24V DC	23-24V DC	
Rated O/P Load Current	2A Max	2A Max	
Dimensions	143.3*43*30mm	143.3*43*30mm	
Driver Box Material	Plastic ABS	Plastic ABS	
Over Voltage Protection	440VAC/10min	440VAC/10min	
Under Voltage Protection	140V	140V	
Surge Protection	4KV	4KV	



MAGIK C'NNECT Smart Hub for Strip Lights



Input DC Voltage Range O/P Load Wattage

24V-45V DC Upto 100W Max

- · Connected with many lights
- · Reduces Network Load
- · Can be used even when internet is down
- · Easy installation
- Can be used from anywhere





MAGIK C'NNECT Smart Hub for Spotlights and Downlights **CNNECT Smart CCT Controller**

Input DC Voltage Range 24V-45V DC Upto 100W Max O/P Load Wattage

- · Connected with many lights
- · Reduces Network Load
- · Can be used even when internet is down
- · Easy installation
- Can be used from anywhere

SMART REMOTE


- Works through Radio Frequency
- 4 buttons On, Off, Dim+, Dim-
- . Long range operation works from a maximum distance of 50 ft. and does not require line of sight operation
- · Enables control of up to three groups of lights with different settings
- · Can control the scene settings
- · No line of sight is required





MAGIK | C'NNECT

SMART CONNECTIVITY CONNECTION DIAGRAM





COMPATIBILTY CHART

Multiple lights can be connected to each MAGIK C'NNECT smart hub and smart bridge, therefore reducing the load on the wifi network. Please use the chart below to determine the maximum number of lights that can be used with each smart hub and bridge.

POWER SUPPLY + CONTROLLER	10W DOWNLIGHT	15W DOWNLIGHT	9W SPOTLIGHT	15W SPOTLIGHT	CCT STRIPLIGHT	RGB STRIPLIGHT	TOTAL WATTAGE
60W/ 42V Smart Bridge + SMART HUB CCT	Up to 6 Units	Up to 4 Units	Up to 6 Units	Up to 4 Units	x	x	60W
30W/ 42V Smart Bridge + SMART HUB CCT	Up to 3 pc Units	Up to 2 pc Units	Up to 3 pc Units	Up to 2 pc Units	x	х	30W
50W/ 24V Smart Bridge + SMART HUB CCT	×	x	×	×	Up to 5 Mtrs	x	50W
50W/ 24V Smart Bridge + SMART HUB RGB	×	x	×	×	x	Up to 5 Mtrs	50W
100W/ 24V Smart Bridge + SMART HJB CCT	×	x	×	×	Up to 10 Mtrs	x	100W
100W/ 24V Smart Bridge + SMART HUB RGB	×	x	×	×	x	Up to 10 Mtrs	100W



Features of MAGIK C'NNECT APP



White Tunable

Tune light between Cool White & Description of the Warm White to create ambience as per the moment.



Dimmable & Energy Saving

Save more energy by adjusting brightness of lights between 100% to 10% as per your need.



Grouping

Grouping lights to operate them together. Turn off or on all lights together by creating a single group.



Control from anywhere

Forgot to turn off your lights? Now control lights from anywhere in the World with MAGIK C'NNECT app



Faster Response time

MAGIK C'NNECT solution is entirely based on the idea of connecting multiple devices with one Smart Hub, rather than one Device and one Hub. Therefore this feature with MAGIK C'NNECT reduces your Internet load, resulting in a faster response time and a seamless communication.



Create Schedules

Set automatic schedules for turning on and off light as per requirement. Schedule lights to turn on at 6:00 AM



Voice Control

Conveniently control lights with your voice using Amazon Alexa and Google Assistant.



Choose from over 16 million colours:

Choose from any hue in the rainbow and change the colour of your Magik C'NNECT Smart lights within seconds. Adjust the brightness and coolness to suit your mood.



Set the Scene

Choose from a variety of scenes or create your own to personalise. Create a theatre scene for movie night, a Party scene with bright, colourful light, and a candlelit scene that creates warm, low lighting.

